

LSU STUDENTS' USE OF DRUGS
Harvard School of Public Health, 2002 College Alcohol Study

DRUG (not prescribed by doctor)	Percent never used	Percent used, <u>not in past 12 mo.</u>	Percent used, <u>not in past 30 days</u>	Percent used in past 30 days
Alcohol	6	4	9	81
Marijuana (or hashish)	51	20	12	18
Crack cocaine	97	3	1	0
Other forms of cocaine	90	7	3	1
Barbiturates (Seconal, Nembutal, downs, Yellow Jackets)	82	7	7	4
Ritalin, Dexedrine, or Adderall	75	5	9	10
Other amphetamines (methamphetamines, crystal meth, speed, uppers, ups)	85	9	4	1
Tranquilizers (Valium, Librium, Xanax, Ativan, Klonopin)	78	10	8	5
Heroin	99	1	.34	0
Other opiate-type drugs (codeine, morphine, Demerol, Percodan, Percocet, Vicodin, Darvon, Darvocet)	82	8	7	3
LSD	87	9	4	.34
Other psychedelics or hallucinogens (mushrooms, mescaline, PCP)	89	7	2	2
Ecstasy (MDMA)	81	10	7	2
Other "party drugs" (Ketamine, Special K, GHB)	91	6	3	.35
Anabolic steroids (Depo-testosterone or Durbolin, Anadrol, Dianabol, Winstrol)	98	1	1	0
Other performance enhancing drugs (growth hormone, diuretics, fluid pills, ephedrine)	92	2	3	3
Chewing tobacco, dip or snuff	84	10	3	4
Cigarettes	39	16	8	37
Cigars	65	18	12	5
Pipe Tobacco	95	2	2	1
Bidis (beedies, hand-rolled cigarettes)	89	8	2	.34

Top 5 drugs used by LSU students in past 30 days:

<u>Rank</u>	<u>Drug</u>	<u>Percent</u>
1	Alcohol	81
2	Cigarettes	37
3	Marijuana	18
4	Ritalin, etc.	10
5	Tranquilizers	5
	Cigars	5